EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S76	3	S69 and S71	US-PGPUB; USPAT	OR	ON	2010/06/03 14:37
S75	0	S69 same S71	US-PGPUB; USPAT	OR	ON	2010/06/03 14:37
S74	0	S72 and S73	FPRS; EPO; JPO	OR	ON	2010/06/03 14:37
S73	396	(slant$3 slop$3 inclin$3 angl$3) near2 (low$3 bottom) near2 (edge end tip corner surface face) with (slot opening entry aperture)	FPRS; EPO; JPO	OR	ON	2010/06/03 14:35
S72	1801	(block$3 decreas $3 diminish$3 eliminat$4 imped $4 lessen$4 low$4 mitigat$4 minimiz $6 prevent$4 reduc$4 remov$3 restrict$4 shield $3) near2 (bend$3 scratch$3 break$4 damag$3) near3 (disc disk DVD CD cassette diskette discette floppy floppies casette LP record media medium)	FPRS; EPO; JPO	OR	ON	2010/06/03 14:35

S71	7480	(block$3 decreas$3 diminish$3 eliminat$4 imped$4 lessen$4 low$4 mitigat$4 minimiz$6 prevent$4 reduc$4 remov$3 restrict$4 shield$3) near2 (bend$3 scratch$3 break$4 damag$3) near3 (disc disk DVD CD cassette diskette discette floppy floppies casette LP record media medium)	US-PGPUB; USPAT	OR	ON	2010/06/03 14:35
S70	32	S69 and "720"/$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 14:33
S69	4874	(slant$3 slop$3 inclin$3 angl$3) near2 (low$3 bottom) near2 (edge end tip corner surface face) with (slot opening entry aperture)	US-PGPUB; USPAT	OR	ON	2010/06/03 14:33
S68	7	("2577401" | "3407964" | "3566113" | "3893259").PN. OR ("4235045"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/03 12:42
S67	5	S65 same S66	US-PGPUB; USPAT	OR	ON	2010/06/03 12:41
S66	7480	(block$3 decreas$3 diminish$3 eliminat$4 imped$4 lessen$4 low$4 mitigat$4 minimiz$6 prevent$4 reduc$4 remov$3 restrict$4 shield$3) near2 (bend$3 scratch$3 break$4 damag$3) near3 (disc disk DVD CD cassette diskette	US-PGPUB; USPAT	OR	ON	2010/06/03 12:41

		discette floppy floppies casette LP record media medium)				
S65	10793	(guide level support$3 ramp) with (slant$3 slop$3 inclin$3 angl$3) with (low$3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture)	US-PGPUB; USPAT	OR	ON	2010/06/03 12:38
S64	82	S62 AND S63	US-PGPUB; USPAT	OR	ON	2010/06/03 12:01
S63	129079	(guide level support$3 ramp slop$3 inclin$3 angl$3) with (low$3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture)	US-PGPUB; USPAT	OR	ON	2010/06/03 11:57
S62	540	360/99.06.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:57
S61	13	("3940793" | "4507768" | "5084855").PN. OR ("5793728").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/03 11:48
S60	58	S54 and "360"/$.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:47
S59	0	S54 and "364"/$.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:46
S58	0	369/75.1.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:46
S57	0	369/77.1.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:46
S56	20	S54 and "369"/$.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:39
S55	2	S54 and "361"/$.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:39

| S54 | 545 | (guide level support$3 ramp slop$3 inclin$3 angl$3) with (low $3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture) with (load$3 unload$3 eject$4 pass$3 carry$3 transport $3 enter$3) with (point$3 direct$4) same (disc disk DVD CD cassette diskette discette floppy floppies casette LP record media medium) | US-PGPUB; USPAT | OR | ON | 2010/06/03 11:39 |
| S53 | 43 | (guide level support$3 ramp slop$3 inclin$3 angl$3) near2 (low $3 bottom) near2 (edge end tip corner surface face) with (slot opening entry aperture) with (load$3 unload$3 eject$4 pass$3 carry$3 transport $3 enter$3) with (point$3 direct$4 angl$3 lift chang $3 adjust) near2 (tip edge end peripher$5 corner) near2 (angl$3 inclin6 slop$3) | US-PGPUB; USPAT | OR | ON | 2010/06/03 00:24 |

S52	131	(guide level support$3 ramp slop$3 inclin$3 angl$3) near2 (low $3 bottom) near2 (edge end tip corner surface face) with (slot opening entry aperture) with (load$3 unload$3 eject$4 pass$3 carry$3 transport $3 enter$3) with (point$3 direct$4 angl$3) near2 (tip edge end peripher $5 corner)	US-PGPUB; USPAT	OR	ON	2010/06/03 00:13
S51	66	S48 and "720"/$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 00:11
S50	47	(guide level support$3 ramp slop$3 inclin$3 angl$3) with (low $3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture) with (load$3 unload$3 eject$4 pass$3 carry$3 transport $3 enter$3) with (point$3 direct$4) near2 (tip edge end peripher$5 corner) with (disc disk DVD CD cassette diskette discette floppy floppies casette LP record media medium)	US-PGPUB; USPAT	OR	ON	2010/06/03 00:11

| S49 | 27 | (align$5 alleviat$4 block$3 damp$5 decreas$3 diminish $3 eliminat$4 hinder$4 imped$4 lessen$4 low$4 mitigat$4 minimiz $6 obstruct$3 prevent$4 reduc $4 reliev$4 remed $3 remov$3 restrict$4 shield$3 stopS4 subdu$4) near2 (bend$3 scratch$3 break$4 damag$3) with (guide level support$3 ramp slop$3 inclin$3 angl$3) with (low $3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture) with (load$3 unload$3 eject$4 pass$3 carry$3 transport $3 enter$3) with (point$3 direct$4) | US-PGPUB; USPAT | OR | ON | 2010/06/02 23:57 |
| S48 | 545 | (guide level support$3 ramp slop$3 inclin$3 angl$3) with (low $3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture) with (load$3 unload$3 eject$4 pass$3 carry$3 transport $3 enter$3) with (point$3 direct$4) same (disc disk DVD CD cassette diskette discette floppy floppies casette LP record | US-PGPUB; USPAT | OR | ON | 2010/06/02 23:55 |

		media medium)					
S47	41	S42 and "369"/$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/02 17:11	
S46	159	S44 and "720"/$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/02 17:11	
S45	3939	(guide level support$3 ramp slop$3 inclin$3 angl$3) with (low $3 bottom) with (edge end tip corner) with (slot opening) with (load$3 unload$3 eject$4 pass$3 carry$3 transport $3 enter$3) with (point$3 direct$4)	US-PGPUB; USPAT	OR	ON	2010/06/02 17:11	
S44	21215	(guide level support$3 ramp slop$3 inclin$3 angl$3 point$3 direct$4) with (low $3 bottom) with (edge end tip corner) with (slot opening) with (load$3 unload$3 eject$4 pass$3 carry$3 transport $3 enter$3)	US-PGPUB; USPAT	OR	ON	2010/06/02 17:06	
S43	63	S42 and "720"/$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/02 17:01	
S42	15716	(guide level support$3 ramp slop$3 inclin$3 angl$3) near3 (low $3 bottom) near3 (edge end tip corner) with (slot opening)	US-PGPUB; USPAT	OR	ON	2010/06/02 17:01	

S41	5	(guide level support$3 ramp slop$3 inclin$3 angl$3) near1 (low $3 bottom) with (bezel panel plate escutcheon) with (slot opening) with (align$5 alleviat$4 block$3 damp$5 decreas $3 diminish$3 eliminat$4 hinder $4 imped$4 lessen $4 low$4 mitigat $4 minimiz$6 obstruct$3 prevent $4 reduc$4 reliev $4 remed$3 remov $3 restrict$4 shield $3 stopS4 subdu $4) near2 (bend$3 scratch$3 break$4 damag$3)	US-PGPUB; USPAT	OR	ON	2010/06/02 16:55
S40	179	(guide level support$3 ramp slop$3 inclin$3 angl$3) near1 (low $3 bottom) with (disc disk DVD CD cassette diskette discette floppy floppies casette LP record) with (bezel panel plate escutcheon) with (slot opening)	US-PGPUB; USPAT	OR	ON	2010/06/02 16:54
S39	116	S38 and "720"/$. ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 22:18

S38	1226	(guide level support$3 ramp slop$3 inclin$3 angl$3) near1 (low $3 bottom) with (disc disk DVD CD cassette diskette discette floppy floppies casette LP record) with (bezel panel plate escutcheon)	US-PGPUB; USPAT	OR	ON	2010/05/31 22:17
S37	16	S35 and 360/99.02.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 14:17
S36	34	S34 and 360/99.02.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 14:17
S35	361	(bezel panel plate escutcheon) with (guide level support$3 ramp slop$3 inclin$3 angl$3) with (up down lift lower rais $3 point) with (ejection rejection load unload inject eject reject) with (disc disk DVD CD cassette diskette discette floppy floppies casette LP record)	US-PGPUB; USPAT	OR	ON	2010/05/31 14:17
S34	10078	(align$5 alleviat$4 block$3 damp$5 decreas$3 diminish $3 eliminat$4 hinder$4 imped$4 lessen$4 low$4 mitigat$4 minimiz $6 obstruct$3 prevent$4 reduc $4 reliev$4 remed $3 remov$3 restrict$4 shield$3 stopS4 subdu$4) near2 (bend$3 scratch$3 break$4 damag$3) with (disc disk DVD CD cassette diskette	US-PGPUB; USPAT	OR	ON	2010/05/31 14:16

		discette floppy floppies casette LP record)				
S33	96	720/676.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S32	129	720/647.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S31	86	720/646.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S30	18	720/628.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S29	77	720/622.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S28	198	720/619.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S87	1	S78 and 720/646. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:38
S86	0	S78 and 720/628. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:38
S85	1	S78 and 720/622. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:37
S84	1	S78 and 720/619. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:37
S83	0	S77 and 720/628. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:36
S82	3	S77 and 720/622. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:35
S81	6	S77 and 720/619. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:34
S80	3	S77 and 720/646. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:33

| S79 | 4 | ((guide level support$3 ramp slop$3 inclin$3 angl$3) near1 (low $3 bottom) with (bezel panel plate escutcheon) with (slot opening) with (align$5 alleviat$4 block$3 damp$5 decreas $3 diminish$3 eliminat$4 hinder $4 imped$4 lessen $4 low$4 mitigat $4 minimiz$6 obstruct$3 prevent $4 reduc$4 reliev $4 remed$3 remov $3 restrict$4 shield $3 stopS4 subdu $4) near2 (bend $3 scratch$3 break $4 damag$3)). clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2010/06/15 10:31 |
| S78 | 328 | ((block$3 decreas $3 diminish$3 eliminat$4 imped $4 lessen$4 low $4 mitigat$4 minimiz$6 prevent $4 reduc$4 remov $3 restrict$4 shield $3) near2 (bend $3 scratch$3 break $4 damag$3) near3 (disc disk DVD CD cassette diskette discette floppy floppies casette LP record media medium)). clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2010/06/15 10:30 |

| S77 | 54013 | ((guide level support$3 ramp slop$3 inclin$3 angl$3) with (low $3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture)).clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2010/06/15 10:30 |

6/15/2010 4:27:57 PM
C:\ Documents and Settings\ cgarcia\ My Documents\ EAST\ Workspaces\ 10798476.
wsp